

RF Catalogue

03/2017



*simplified to **open***

www.rfblackone.com

Guida illustrata dei modelli compatibili illustrated guide of compatible models

02	ADYX	12	DUCATI	22	NORTON
02	AERF	12	ECOSTAR	22	NOVOFERM
03	ALLMATIC	12	ELBE	22	O&O
03	APERTO	12	ELKA	23	OPENOUT
04	APRIMATIC	12	ERREKA	23	PECCININ
04	ATA	13	FAAC	23	PORTAMATIC
04	AVIDSEN	14	FADINI	23	PRASTEL
04	BALLAN	14	FERPORT	23	PROEM
04	BENINCA	14	GENIUS	24	PROLIFT
05	BFT	15	GIBIDI	24	PUJOL
06	CAME	15	GULLIVER	24	RIB
06	CARDIN	15	HORMANN	24	ROPER
07	CASALI	16	JCM	24	SABUTOM
07	CASIT	17	KEY	25	SEA
07	CELINSA	17	KING GATES	25	SEAV
08	CHAMBERLAIN	17	LABEL	25	SILVELOX
09	CLEMSA	17	LEB	25	SIMINOR
09	DASPI	17	LIFT MASTER	25	SOMFY
10	DEA SYSTEM	19	MARANTEC	26	SOMMER
10	DELMA	19	MERLIN 2.0	26	STAGNOLI
10	DICKERT	19	MERLIN	26	TAU
11	DITEC	20	MHOUSE	27	TELCOMA
11	DOORHAN	20	MOTOR LIFT	27	V2
12	DOORMATIC	21	NICE	27	VDS

Legenda simboli di programmazione

Programming symbols legend



Acquisizione diretta

Direct learning



Acquisizione diretta + sistema di acquisizione a distanza

Direct learning + Air Learning System Option



Acquisizione diretta + acquisizione sulla centralina

Direct learning + learning on the receiver

Modelli Jolly line

Jolly line models

28	BLACK series
30	JOLLY OPEN series
31	TOUCH series

simplified to open

www.rfblackone.com



for **ADYX**

model **433-HD BRAVO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ADYX**

model **TE4433H BLUE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ADYX**

model **TM-433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **AERF**

model **BT**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **AERF**

model **COMPACT**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **HY-DOM**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **MARS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **MARS**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **MERCURI B**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **MERCURI B**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **MERCURI C**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **MERCURI C**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **SABUTON**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **SATURN**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF**

model **ST3-N**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **TERRA**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **TMP-1**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **TMP-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **TTS**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **AERF** model **UNITECH**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **BRO.OVER**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **BROWN RED**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **BROWN**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **MINIPASS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **PASS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **TECH3**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161


for **APERTO** model **4020-TX03-434**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APERTO** model **CPS**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **APERTO** model **TX02-434-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APERTO** model **TX02-434-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APRIMATIC**

model **TM**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APRIMATIC**

model **TR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APRIMATIC**

model **TXM**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ATA**

model **PTX4 BLU**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ATA**

model **PTX4 PINK**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN**

model **104250 OLD**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN**

model **104250 RED**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN**

model **104250**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN**

model **104251**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN**

model **104257**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN**

model **104350**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN**

model **654250**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BALLAN**

model **FM400**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BALLAN**

model **FM400E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **LOT WMS**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BENINCA**

model **APPLE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **CUPIDO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **IO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **LOT W**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BENINCA**

model **LOT WCV**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **LOT XW**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BENINCA**

model **ROLLKEY**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **TO.GO. QV**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **TO.GO. WP**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **TO.GO. WV**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA**

model **TWK**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BENINCA**

model **TWV**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT**

model **GHIBLI**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT**

model **KLEIO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT**

model **MITTO A**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **MITTO M**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **MITTO RCB**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **MURALE**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **TEO**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BFT** model **TRC**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CAME** model **TOP432EV**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CAME** model **TOP432NA**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CAME** model **TOP432S**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CAME** model **TOP432SA**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CAME** model **TOP434A**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CAME** model **TOP434M**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CAME** model **TOP862NA**



Codifica
coding **FIX CODE**

Frequenza
frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CAME** model **TWIN**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CARDIN** model **S437 TX**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CARDIN** model **S438 TX**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **CARDIN**model **TXQ 486 NEW****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CARDIN**model **TXQ 486****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CARDIN**model **TXQ S449 GREEN****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CARDIN**model **TXQ S449****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CARDIN**model **TXQ S486 OLD****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CASALI**model **JA33 AMIGO****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CASIT**model **BE HAPPY S AZUL****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CASIT**model **BE HAPPY S****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CASIT**model **MPSTFR C****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CASIT**model **MTE****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CASIT**model **VTM****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CELINSA**model **DW-2****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **CELINSA**model **MOVECODE****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CELINSA**model **RW-2****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **CELINSA**model **SAW****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CELINSA**

model **X-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA**

model **Z-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **132B2372**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **1A5477**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **1A5639-7**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **4335EML**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CHAMBERLAIN**

model **433EML**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CHAMBERLAIN**

model **84330E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **84330EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **84333EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **84335EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **8747EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **94330EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **94333E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**

model **94333EML**




Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN**model **94334CE****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CHAMBERLAIN**model **94334E****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CHAMBERLAIN**model **94335E****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CHAMBERLAIN**model **94335EML****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CHAMBERLAIN**model **9747E****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CHAMBERLAIN**model **G4330E****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **CLEMSA**model **DIGICODE MH****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **CLEMSA**model **E-CODE N****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CLEMSA**model **MASTERCODE****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **CLEMSA**model **MH-E****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **CLEMSA**model **MH****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **CLEMSA**model **MUTANCODE****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CLEMSA**model **T-8****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **CLEMSA**model **T****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **DASPI**model **ZERO RC****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161

for **DEA SYSTEM**

model **GENIE R 273**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DEA SYSTEM**

model **GENIE S 263L**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM**

model **GENIE S**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM**

model **GOLDR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DEA SYSTEM**

model **GOLDS**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM**

model **MIO TD**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM**

model **MIO TR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DEA SYSTEM**

model **PUNTO 268**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM**

model **PUNTO 278**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DELMA**

model **APOLLO-433-4 NEW**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DELMA**

model **APOLLO-433-4**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DELMA**

model **KING-433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DELMA**

model **MIZ-433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT**

model **HS-868 GREY**



Codifica coding **FIX CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DICKERT**

model **HS-868**



Codifica coding **FIX CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **DICKERT**

model **IAMS-433**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT**

model **MAHS433**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT**

model **S10 AL**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT**

model **S10 AL**



Codifica
coding **FIX CODE**

Frequenza
frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DICKERT**

model **S10-433-AL**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT**

model **S20-433-AL**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT**

model **S20-868-AL**



Codifica
coding **FIX CODE**

Frequenza
frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DICKERT**

model **S5-433-AL**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT**

model **S5-868-AL**



Codifica
coding **FIX CODE**

Frequenza
frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DITEC**

model **BIX LG4**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DITEC**

model **BIX LP2**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DITEC**

model **BIX LS2**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DITEC**

model **GOL4**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DITEC**

model **GOL4C**



Codifica
coding **FIX CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DOORHAN**

model **TRANSMITTER 4**



Codifica
coding **ROLLING CODE**

Frequenza
frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **DOORMATIC**

model **AZ-433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DOORMATIC**

model **EURO**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DUCATI**

model **TE2**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DUCATI**

model **TPR**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DUCATI**

model **TSAW**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DUCATI**

model **TSAWN**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ECOSTAR**

model **40**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ECOSTAR**

model **RSC**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ECOSTAR**

model **RSE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ECOSTAR**

model **RSZ**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ELBE**

model **50**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ELKA**

model **SKX**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ERREKA**

model **IRIS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA**

model **IRIS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA**

model **IRIS**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **ERREKA** model **IRIS****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **ERREKA** model **LUNA****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **ERREKA** model **MC****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **ERREKA** model **RESON 2****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **ERREKA** model **RESON 4****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **ERREKA** model **ROLLER 2 868****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **ERREKA** model **ROLLER 2****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **ERREKA** model **ROLLER 4 868****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **ERREKA** model **SGOX****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **ERREKA** model **SMAT****Codifica**
coding **FIX CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155for **ERREKA** model **SOL433****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **ERREKA** model **SOL868****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **ERREKA** model **VEGA 433****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **ERREKA** model **VEGA 868****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for **FAAC** model **DL868SLH****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161

for **FAAC** model **T433SLH**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FAAC** model **T868SLH**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FAAC** model **TE433HG**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FAAC** model **TML433SLH**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FAAC** model **TML433SLR**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
OPEN TOUCH 2143/2155

for **FAAC** model **XT433RC**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FAAC** model **XT433SLH**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FAAC** model **XT868SLH**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FADINI** model **ASTRO 433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **FADINI** model **ASTRO 433M**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **FADINI** model **JUBI 433**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FADINI** model **JUBI SMALL**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **FERPORT** model **TAC80**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **GENIUS** model **AMIGO**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **GENIUS** model **AMIGOLD**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:  **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **GENIUS** model **BRAVO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **GENIUS** model **ECHO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GENIUS** model **JA40**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **GENIUS** model **KILO**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **AU1600 WOOD**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **AU1600**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **AU1680 WOOD**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **AU1680**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **DOMINO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **TMB**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **GULLIVER** model **MDW**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **HORMANN** model **HS4 868 BS**



Codifica coding **FIX CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **HORMANN** model **HS868**



Codifica coding **FIX CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **HORMANN** model **HSE 433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **HORMANN** model **HSE2 868 BS**



Codifica coding **FIX CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **HORMANN**

model **HSM 40**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **HORMANN**

model **HSM 433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **HORMANN**

model **HSP4**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO CUBELLS**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO DMIL**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO FORSA**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO GIBIDI**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO HYDOM**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO NORTON**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO ROPER**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO TECH**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **GO**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **MINI GO**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **NEO DMIL**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM**

model **NEO EMFA**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **JCM** model **NEO FORSA**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **NEO PUJOL**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **NEO ROPER**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **NEO SERVIPARKING**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **NEO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **TWIN**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **KEY** model **900TXB-42R**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **KEY** model **SUB 44R**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **KEY** model **TXB 44R**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **KING GATES** model **CLIPPER**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **KING GATES** model **STYLO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LABEL** model **SPYCO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LEB** model **TCP**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **LEB** model **TMW**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **LIFT MASTER** model **132B2372**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **LIFT MASTER**

model **1A5477**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **1A5639-7**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **4335EML**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **LIFT MASTER**

model **433EML**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **LIFT MASTER**

model **84330E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **84330EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **84333EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **84335EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **8747EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **94330EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **94333E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **94333EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **94334CE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **94334E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **94335E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **LIFT MASTER**

model **94335EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **9747E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER**

model **G4330E**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC**

model **21R**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC**

model **D23**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC**

model **DIGITAL 21**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC**

model **DIGITAL 30 433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC**

model **DIGITAL 30 868**



Codifica coding **FIX CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MARANTEC**

model **DIGITAL 32 868**



Codifica coding **FIX CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MERLIN 2.0**

model **E940M**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MERLIN 2.0**

model **E943M**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MERLIN 2.0**

model **E945M**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MERLIN**

model **C940**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MERLIN**

model **C943**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MERLIN**

model **C945**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MERLIN** model **M842**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MERLIN** model **M844**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MHOUSE** model **GTX4**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MHOUSE** model **MOOVO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MHOUSE** model **TX3**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MHOUSE** model **TX4**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **132B2372**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **1A5477**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **1A5639-7**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **4335EML**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MOTOR LIFT** model **433EML**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MOTOR LIFT** model **84330E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **84330EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **84333EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **84335EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **MOTOR LIFT**

model **8747EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **94330EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **94333E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **94333EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **94334CE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **94334E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **94335E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **94335EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **9747E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT**

model **G4330E**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **NICE**

model **ERA ONE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE**

model **ERA-FLOR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE**

model **FLO-R**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE**

model **INTI**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE**

model **ONE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE** model **SMILO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NICE** model **VERY-VR**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NORTON** model **NEO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NORTON** model **TXE**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **NOVOFERM** model **M512**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **NOVOFERM** model **MCHS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NOVOFERM** model **MICRO-NOVOTRON 502**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NOVOFERM** model **MICRO-NOVOTRON 504**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NOVOFERM** model **MINI-NOVOTRON 502**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NOVOFERM** model **MINI-NOVOTRON 504**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NOVOFERM** model **MNHS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **NOVOFERM** model **NOVOTRON 202 MB**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **O&O** model **ELIOT**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **O&O** model **RAY**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **O&O** model **T.COM R4-2**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **O&O** model **T.COM R8-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **O&O** model **TX**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **OPENOUT** model **TMB**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PECCININ** model **TX MENBRANA**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PORTAMATIC** model **MPH**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PRASTEL** model **BFOR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **MPSTFE RE**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PRASTEL** model **MPSTFE RJ**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PRASTEL** model **MPSTFE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **MPSTLE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **MPSTP2E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **MTE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **TCE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **TRQ-P**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROEM** model **ERC-ACD**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PROLIFT**

model **C940**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROLIFT**

model **C943**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROLIFT**

model **C945**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROLIFT**

model **M842**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROLIFT**

model **M844**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL**

model **NEO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL**

model **TWIN**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL**

model **VARIO MARS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL**

model **VARIO OCEAN**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL**

model **VARIO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **RIB**

model **LITHIO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **RIB**

model **MOON**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **RIB**

model **SUN**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ROPER**

model **NEO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SABUTOM**

model **BROOVER**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **SABUTOM**

model **BROSTAR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SEA**

model **EC 433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **SEAV**

model **BE HAPPY RS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SILVELOX**

model **MHZ 07 RC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SILVELOX**

model **QUARZ SAW**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SIMINOR**

model **CVX**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **SIMINOR**

model **CVXNL**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SIMINOR**

model **MITTO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SIMINOR**

model **SIM433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **ALARMA**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **CVX**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **SOMFY**

model **K-EASY NEW**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **K-EASY OLD**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **K-EASY**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **KEY GO RTS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **KEYTIS RTS NS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **KEYTIS RTS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **MITTO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **TELIS RTS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **TS 433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **SOMMER**

model **4010**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMMER**

model **4020**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMMER**

model **4025 433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMMER**

model **4025 868**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMMER**

model **4026**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **STAGNOLI**

model **KALLISTO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **STAGNOLI**

model **VENUS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **STAGNOLI**

model **ZEUS**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **TAU**

model **250K-SLIMR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **TAU**

model **250K-SLIMRP**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **TAU** model **250T-4RP**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **TELCOMA** model **EDGE**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **TELCOMA** model **FM400**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **TELCOMA** model **FM400E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **TELCOMA** model **TANGO**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **V2** model **HANDY**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **PHOENIX**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **PHOX 433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **TPR-43KF**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **V2** model **TRC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **TSC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **TXC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **VDS** model **ECO-R**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **VDS** model **TRQ P**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

2162 - BLACK 2



frequenza/Frequency:

433,92 MHz

tipo codifica/Type of coding:

Fissa/Fixed

numero canali/Number of channels:

2

utilizzo/Use:

**Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation**

programmazione/programming:

Auto-apprendente/Self-learning

batterie/batteries:

6 V - CR2016 (inclusa included)

2163 - BLACK 4



frequenza/Frequency:

433,92 MHz

tipo codifica/Type of coding:

Fissa/Fixed

numero canali/Number of channels:

4

utilizzo/Use:

**Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation**

programmazione/programming:

Auto-apprendente/Self-learning

batterie/batteries:

6 V - CR2016 (inclusa included)

2161 - BLACK ONE



frequenza/Frequency:

multifrequenza/Multifrequency

tipo codifica/Type of coding:

Rolling Code e Fissa/Rolling code and Fix

numero canali/Number of channels:

4

utilizzo/Use:


**Cancelli, serrande, box, illuminazione, irrigazione/
Gates, shutters, boxes, lighting, irrigation**

programmazione/programming:

Auto-apprendente/Self-learning

batterie/batteries:

6 V - CR2016 (inclusa/ included)



2164 - BLACK INDOOR



frequenza/Frequency: 433,92 MHz
tipo codifica/Type of coding: Fissa/Fixed
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: Interno/Indoor
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: 12A - 14Vdc - 7A - 120Vac
codici memorizzabili/Memorised codes: 140
alimentazione/Power supply: 12V - 24V
batterie/batteries: 12V 27A (inclusa/included)
protezione/protection: IP 20

2165 - BLACK OUTDOOR



frequenza/Frequency: 433,92 MHz
tipo codifica/Type of coding: Fissa/Fixed
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: Esterno/Outdoor
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: 12A - 14Vdc - 7A - 120Vac
codici memorizzabili/Memorised codes: 140
alimentazione/Power supply: 12V - 24V
batterie/batteries: 12V 27A (inclusa/included)
protezione/protection: IP 55

2166 - BLACK EASY LIGHT



frequenza/Frequency: 433,92 MHz
tipo codifica/Type of coding: Fissa/Fixed
numero canali/Number of channels:
2: bistabile/temporizzata
2: bistable/timer
installazione/Installation: Esterno/Outdoor
utilizzo/Use: Illuminazione esterna/
Outdoor lighting
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: 16A - 250 Vac
codici memorizzabili/Memorised codes: 128
carico max totale/Total max load: 1000W
alimentazione/Power supply:
220/230 Vac - 50/60 Hz
batterie/batteries: 12V 27A (inclusa/included)
protezione/protection: IP 55



2143 - OPEN TOUCH 2




frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
2
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
batterie/batteries:
12 V - 23A (inclusa/ included)

2155 - OPEN TOUCH 4



frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
4
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
batterie/batteries:
12 V - 23A (inclusa/ included)

2177 - OPEN TOUCH INDOOR



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: **Interno/Indoor**
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **12A - 14Vdc - 7A - 120Vac**
codici memorizzabili/Memorised codes: **140**
alimentazione/Power supply: **12V - 24V**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 20**

2178 - OPEN TOUCH OUTDOOR



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: **Esterno/Outdoor**
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **12A - 14Vdc - 7A - 120Vac**
codici memorizzabili/Memorised codes: **140**
alimentazione/Power supply: **12V - 24V**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 55**

2137 - NEW JOLLY OPEN 2



frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
2
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendente/Self-learning
batterie/batteries:
12 V - 27A (inclusa/ included)

2157 - NEW JOLLY OPEN 4



frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
4
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendente/Self-learning
batterie/batteries:
12 V - 27A (inclusa/ included)

2171 - KIT1-INDOOR RECEIVER



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: **Interno/Indoor**
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **12A - 14Vdc - 7A - 120Vac**
codici memorizzabili/Memorised codes: **140**
alimentazione/Power supply: **12V - 24V**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 20**

2172 - KIT2-OUTDOOR RECEIVER



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: **Esterno/Outdoor**
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **12A - 14Vdc - 7A - 120Vac**
codici memorizzabili/Memorised codes: **140**
alimentazione/Power supply: **12V - 24V**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 55**

2173 - GARDEN EASY LIGHT



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: bistabile/temporizzata
2: bistable/timer
installazione/Installation: **Esterno/Outdoor**
utilizzo/Use: **Illuminazione esterna/ Outdoor lighting**
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **16A - 250 Vac**
codici memorizzabili/Memorised codes: **128**
carico max totale/Total max load: **1000W**
alimentazione/Power supply: **220/230 Vac - 50/60 Hz**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 55**



GBS Elettronica srl - Via delle Valli, snc - 04011 - Aprilia (LT) - Italia
+39.06.7236734 - fax +39.06.7233098 - www.gbs-elettronica.it